

**modular
lighting system /
serie 550**

curt fischer, 1930s

the design of the modular lamp is based on the well-known no. 113 and no. 114 adjustable lamps, with which, among others, the metal workshop at the bauhaus was fitted.

initially, the modular lamp was directly mounted to the tools and facilities, but, throughout the decades, many different designs were developed for various applications: the adjustable and configurable lighting system was later used in doctor's surgeries, on architects' desks and at home.

as in the past, the midgard lamps are defined by superior functionality, superb workmanship and inventiveness. available immediately, the midgard modular lamp is still being built in the spirit of its inventor, as a modular and configurable design and comes as a table, wall, ceiling or floor lamp. customers can choose between different arm lengths and between various types of shades and colours, according to individual requirements. the lamps and all their parts are produced in germany, using the original tools and techniques: die-cast aluminium joints and hand-cast shades are assembled in hamburg.



**modular
lighting system /
serie 550**

curt fischer, 1930s

table / TYP 551, TYP 552, TYP 553

ceiling / TYP 554

customers can choose between different lamp fixtures, arm lengths and between various types of shades and colours, according to individual requirements.

first arm
300, 400, 500, 600 mm

second arm
200, 300, 400 mm

fixture types:
table, TYP 551
clamp, TYP 552
screw, TYP 553
please refer to overview

all fixture types come with
black textile cable, 1.5m
schuko-plug

classic manual rotary switch

we recommend philips e27 retrofit
LED with 2700-3500k and between
6 and 10w (equals 40-60w)

do not use classic or halogen
light bulbs with more than 60w

220-240v ~ 50/60hz
appliance class: I

optionally available with
swiss or uk plug

first arm
– up to 2000 mm,
in increments of 200

second arm
– / 200 / 300 / 400 mm

fixture type
ceiling, TYP 554
please refer to overview
for cable outlet

black textile cable, 1.5m

classic manual rotary switch

we recommend philips e27 retrofit
LED with 2700-3500k and between
6 and 10w (equals 40-60w)

do not use classic or halogen
light bulbs with more than 60w

220-240v ~ 50/60hz
appliance class: I

modular lighting system / serie 550

curt fischer, 1930s

wall / TYP 555

floor / TYP 556

customers can choose between different lamp fixtures, arm lengths and between various types of shades and colours, according to individual requirements.

TYP 555 only available without arms

fixture type
wall, TYP 555
cable outlet in two options available
please refer to overview for cable outlet

black textile cable, 1.5m
schuko-plug upon request

classic manual rotary switch

we recommend philips e27 retrofit LED with 2700-3500k and between 6 and 10w (equals 40-60w)

do not use classic or halogen light bulbs with more than 60w

220-240v ~ 50/60hz
appliance class: I

optionally available with swiss or uk plug

first arm
1000 / 1200 / 1400 / 1600 mm

second arm
200, 300, 400 mm

fixture type:
floor, TYP 556
(freestanding)
Ø 350

black textile cable, 1.5m
schuko-plug

classic manual rotary switch

we recommend philips e27 retrofit LED with 2700-3500k and between 6 and 10w (equals 40-60w)


do not use classic or halogen light bulbs with more than 60w

220-240v ~ 50/60hz
appliance class: I


optionally available with swiss or uk plug

**modular
lighting system /
serie 550**
curt fischer, 1930s


lampshade options




3307
fixed




3307-1
rotatable



3308
fixed



3308-1
rotatable



3309-1
rotatable

lampshade colours



aluminium
solid



aluminium
elox



black
enamel



white
RAL 9010



grey
RAL 7042



black
RAL 9005

exterior shade surface: powder-coated, smooth, matte

arm and fixture colours



white
RAL 9010



grey
RAL 7042



black
RAL 9005

smooth matte powdercoated

joint colour options



brass



alu



white



grey



black

same as arm and fixture colour



standard
steel on
opposite

fixtures / table





table
TYP 551

freestanding
Ø 250



option A



clamp
TYP 552

desktop thickness
min 20 mm /
max 53 mm




option B


screw
TYP 553

screwed directly
Ø 70

ceiling



option A



option B
direct connection
(without cable)


ceiling
TYP 554

screwed directly
Ø 200

wall



option A



option B
direct connection
(without cable)

wall
TYP 555

screwed directly
Ø 70

floor



floor
TYP 556

freestanding
Ø 350

table

first arm
300 / 400 / 500 / 600

second arm
200 / 300 / 400

ceiling

first arm
– up to 2000
in increments of 200

second arm
– / 200 / 300 / 400

wall

TYP 555
only available
without arms

floor

first arm
1000 / 1200 /
1400 / 1600

second arm
200 / 300 / 400

please note: colour codes for reference only.

modular lighting system / serie 550

curt fischer, 1930s

configuration examples



lampshade no. 3307, fixed
shade colour black, powder-coated
joints black
1st arm 400
2nd arm 300
arm&fixture colour black
fixture table



lampshade no. 3307, fixed
shade colour grey, powder-coated
joints grey
1st arm 400
2nd arm 300
arm&fixture colour grey
fixture table



lampshade no. 3307, fixed
shade colour pearl white, powder-coated
joints pearl white
1st arm 400
2nd arm 300
arm&fixture colour pearl white
fixture table



lampshade no. 3309-1, rotatable
shade colour black, powder-coated
joints brass
1st arm 600
2nd arm 400
arm&fixture colour black
fixture table



lampshade no. 3308-1, rotatable
shade colour black, powder-coated
joints black
1st arm 600
2nd arm 400
arm&fixture colour black
fixture table



lampshade no. 3307, fixed
shade colour alu, elox
joints brass
1st arm 600
2nd arm 400
arm&fixture colour black
fixture table

please visit our 3D configurator at midgard.com
for individual configurations.