# CTOLIGHTING

# CIELO PENDANT SMALL

### FINISH

bronze with handmade fritted glass shade satin brass with handmade fritted glass shade

## **DIMENSIONS** (body of fixture)

ø 315 x 85 mm (dia x h)

## WEIGHT

3.5kg (7.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

## **OVERALL DROP**

minimum 225 mm maximum on request 6205 mm supplied with 1000 mm drop rod

# ILLUMINATION

220-240v - integrated LED - 8w - 2700k 110-130v - integrated LED - 8w - 2700k LED driver to be installed in the ceiling rose drivers must be installed up to 20 meters from the body of the light


## DIMMING


trailing dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only) 0/1-10v (220-240v or 110-130v) - on request

# CEILING ROSE / PLATE


round ceiling rose - ø 45 x 120 mm (dia x h)

# CERTIFICATION






mounting plate dimensions



North America junction box cover



<sup>\*</sup>Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CIEPESBZFG-240	bronze with handmade fritted glass shade	220 - 240V
CIEPESBZFG-240	satin brass with handmade fritted glass shade	220 - 240V
CIEPESBZFG-110	bronze with handmade fritted glass shade	110 - 130V
CIEPESBZFG-110	satin brass with handmade fritted glass shade	110 - 130V

# CTOLIGHTING

# CIELO PENDANT SMALL - DALI-A

## FINISH

bronze with handmade fritted glass shade satin brass with handmade fritted glass shade

# **DIMENSIONS** (body of fixture)

ø 315 x 85 mm (dia x h)

#### WEIGHT

3.5kg (7.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

## **OVERALL DROP**

minimum 225 mm maximum on request 6205 mm supplied with 1000 mm drop rod

## ILLUMINATION

220-240v - integrated LED - 8w - 2700k DALI LED driver to be installed in the ceiling cavity drivers must be installed up to 20 meters from the body of the light

#### DIMMING

DALI compatible


# CEILING ROSE / PLATE


round ceiling rose - ø 45 x 120 mm (dia x h)

## CERTIFICATION













### mounting plate dimensions



### DALI LED driver dimensions



<sup>\*</sup>Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIEPESBZFG-DALIA-240	bronze with handmade fritted glass shade	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CIEPESSBFG-DALIA-240	satin brass with handmade fritted glass shade	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

# CTOLIGHTING

# CIELO PENDANT SMALL - DALI-B

#### FINISH

bronze with handmade fritted glass shade satin brass with handmade fritted glass shade

# **DIMENSIONS** (body of fixture)

ø 315 x 85 mm (dia x h)

#### WEIGHT

3.5kg (7.7lbs) please ensure ceiling structure is strong enough to support the weight of the light

#### **OVERALL DROP**

minimum 140 mm maximum on request 6120 mm supplied with 1000 mm drop rod

## ILLUMINATION

integrated LED - 8w - 2700k DALI LED driver to be installed in the ceiling rose

# DIMMING

Dali compatible


## CEILING ROSE / PLATE


round ceiling rose - ø 140 x 35 mm (dia x h)

#### CERTIFICATION














315 mm (12.4)





*Diagrams	are	not	to	scal	Ω

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIEPESBZFG-DALIB-240	bronze with handmade fritted glass shade	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
CIEPESSBFG-DALIB-240	satin brass with handmade fritted glass shade	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V