

MODULO PENDANT VERTICAL

FINISH

bronze with smoked kiln cast glass and opal glass shades
satin brass with smoked kiln cast glass and opal glass shades

DIMENSIONS (body of fixture)

160 x 120 x 1700 mm (w x d x h)

WEIGHT

10kg (22lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1745 mm
maximum on request 7725 mm
supplied with 1000 mm drop rod

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k
110-130v - integrated mains LED - 27w - 2700k

DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)



CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
MODPEVLBZSKMO-240	bronze with smoked kiln cast glass and opal glass shades	220 - 240V
MODPEVLSBSKMO-240	satin brass with smoked kiln cast glass and opal glass shades	220 - 240V
MODPEVLBZSKMO-110	bronze with smoked kiln cast glass and opal glass shades	110 - 130V
MODPEVLSBSKMO-110	satin brass with smoked kiln cast glass and opal glass shades	110 - 130V

MODULO PENDANT VERTICAL - DALI-A

FINISH

bronze with smoked kiln cast glass and opal glass shades
satin brass with smoked kiln cast glass and opal glass shades

DIMENSIONS (body of fixture)

160 x 120 x 1700 mm (w x d x h)

WEIGHT

10kg (22lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1745 mm

maximum on request 7725 mm

supplied with 1000 mm drop rod

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k

DALI converter to be installed in the ceiling cavity

DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)



CERTIFICATION



mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODPEVLBZSKMO-DALIA-240	bronze with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODPEVLSBSKMO-DALIA-240	satin brass with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

MODULO PENDANT VERTICAL - DALI-B

FINISH

bronze with smoked kiln cast glass and opal glass shades
satin brass with smoked kiln cast glass and opal glass shades

DIMENSIONS (body of fixture)

160 x 120 x 1700 mm (w x d x h)

WEIGHT

10kg (22lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1755 mm

maximum on request 7735 mm

supplied with 1000 mm drop rod

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k

DALI converter to be installed in the ceiling rose

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling rose - ϕ 140 x 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODPEVLBZSKMO-DALIB-240	bronze with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
MODPEVLSBSKMO-DALIB-240	satin brass with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V